



The Way To Fish.®



**Fishing, Marine & Outdoor Products**



## Table of Contents

What is a Downrigger? .....	3
Electric Downriggers .....	4
Manual Downriggers .....	6
Downrigger Mounting Options .....	8
Downrigger Accessories .....	9
Compact Manual Downriggers .....	10
Laketroller Downriggers .....	11
Rod Holders .....	12
Rod Holder Optional Mounts .....	17
Line Releases .....	19
Downrigger Accessories .....	21
Downrigger Components .....	23
Fishing Accessories .....	24
Boating Accessories .....	26
Kayak Stabilizers .....	28
Pumps & Safety Products .....	29
Safety Lights and Whistles .....	30
Jordan Scotty Salmonid Incubator...	31

The Scotty trademark has become recognized to mean product excellence. The total commitment to quality, fair pricing and unmatched service means our customers everywhere can expect reliability and satisfaction from every product that carries the Scotty name.

In 1952, Blayne Scott started a small company in Victoria, British Columbia, that pioneered the use of plastics in the manufacturing of salmon fishing lures and other marine products. From humble beginnings, Scott Plastics Ltd. has evolved to produce thousands of products under the Scotty trademark which are sold to the fishing, marine, outdoor and firefighting industries worldwide. Now with markets all over North America, Europe, Australia, New Zealand and beyond, Scotty products are gaining a reputation for being top quality, but still affordable in the face of rising production costs.

From production to community involvement, the Scotty name carries pride and distinction in the fishing, marine, outdoor and firefighting industries. All products are backed by years of manufacturing experience and the highest quality customer service. "Test drive" programs, excellent vendor support and a superior product have made Scotty a leader in the fishing industry. This company with small business origins has big heart and big plans. Scotty: The Way to Fish!



**The Way To Fish®**

## Fight the fish, not the fishing gear!

Downriggers were created for one principal reason: to allow fishermen to troll their lures at a specific depth. Years of testing and practical use had shown that a moving bait or lure in the water, trolled at the depth where fish were present, was the best way to ensure a hookup and get results. Downriggers improved both trolling results, and the fun factor - they put the 'sport' back in sport fishing.


The earliest downriggers were very simple in form, generally consisting of a spool of wire mounted to the boat with a heavy weight hung on the end of the wire.

The lure or bait was attached directly to the downrigger weight and did not release when a fish struck - the fisherman had to wind up both the weight and the fish.



This concept of deep trolling became popular with sport fishermen when the idea of attaching a rod to the downrigger, by means of a release clip, was introduced. A release clip is attached to the wire and then the fishing line from the rod is clipped into the release. The downrigger weight is then lowered to precisely the depth required. When a fish hits, the line is released from the downrigger wire, leaving the heavy weight on the downrigger. The angler is then free to fight the fish on the rod and reel alone, without the added drag of heavy lines and trolling weights used in the past.

Scotty introduced its first downrigger over 35 years ago and now produces the most complete range of downriggers and accessories in the world.



The Way To Fish<sup>®</sup>



Scotty Depthpower Electric Downriggers have reached the highest performance and reliability standards ever, while remaining competitively priced. Thousands of fishermen now enjoy the superior speed, power and years of reliability that only Scotty offers. From custom designed marine motors to the final quality control tests, Scotty performance is unmatched in the industry.

- A. Kevlar belt driven
- B. Spray-protected, **positive-drive** depth counter
- C. Full automatic **hands-free** operation on retrieval. Use the No. 1008 stopper beads (included) to stop at any position that you set
- D. Fully adjustable rod holder
- E. Strong stainless steel boom
- F. Fully adjustable descent speed - 5 ft/min to over 300 ft/min **Ultra-fast** retrieval rate (see table below)
- G. 250 ft. of premium 150 lb. test stainless steel downrigger cable



**Tilt-Up Feature**  
All Scotty electric downriggers include the No 1023 Tilt-Up Mounting Bracket, which enables the unit to be tilted and locked in the upright position.

More lifting power than any downrigger made. Power for extra heavy weights or for pulling out of snags, weeds or kelp


The **lowest amp** draw of any downrigger made. Less than one third the battery draw than some of the competition



- Scotty No. 1170 Power Grip Plus line release included
- Full saltwater protection.
- All metal parts are stainless steel
- Downrigger fishing instruction booklet
- Fully assembled and tested



Each Scotty Downrigger comes with the Scotty limited Lifetime Warranty. The best warranty in the industry is backed by over 50 years of manufacturing know-how and unbeatable customer service.



See page 8 for optional downrigger mounts



Weight	7 lb.	10 lb.	15 lb.	20 lb.
Retrieval Speed	235 ft./min.	222 ft./min.	203 ft./min.	185 ft./min.
Amperage Draw	4 amps	5 amps	8 amps	11 amps



### 1099 Compact Depthpower 24"

All the performance features of the larger models with a compact size.

- 24" long, 1" diameter stainless steel boom.
- Boom mounted No. 350 Rodmaster II rod holder
- 1 Power Grip Plus Line Release



### 1118 Compact Propack 24"

This compact setup has all the features of the 1099, but with a dual rod holder and pedestal swivel base.

- 24" long, 1" diameter stainless steel boom.
- No. 247 Dual Rod Holder
- No. 1026 Pedestal Swivel Mount
- 2 Power Grip Plus Line Releases
- Weight storage hook



### 1119 Big Water ProPack Tournament Series 24"

A big water unit with a compact boom. Includes fully adjustable dual Rodmaster II rod holders, height extenders and pedestal swivel base.

- 24" long, 1" diameter stainless steel boom.
- No. 350 Rodmaster II rod holders
- No. 259 Height Extenders
- No. 1026 Pedestal Swivel Mount
- 2 Power Grip Plus Line Releases
- Weight storage hook



### 1100 Depthpower 30"

Includes same features as below except 1026 swivel mount not included

### 1101 Depthpower 30"

Designed for heavy duty use, this unit will handle long hours and heavy weights in tough conditions.

- 30" long, 1 1/4" diameter stainless steel boom
- Boom mounted No. 350 Rodmaster II rod holder
- 1026 Swivel Mount
- 1 Power Grip Plus Line Release



### 1114 Propack Depthpower 30"

Popular among charter captains. All the features of the 1101 but with a dual rod holder

- 30" long, 1 1/4" diameter stainless steel boom
- No. 247 Dual Rod Holder
- No. 1026 Pedestal Swivel Mount
- 2 Power Grip Plus Line Releases
- Weight storage hook



### 1105 Depthpower 36"-60"

Includes same features as below except 1026 swivel mount not included

### 1106 Depthpower 36"-60"

The most popular Scotty Electric, with a boom that telescopes for extra reach and collapses for extra storage. Makes a great "big boat" rigger.

- 60" long, 1 1/4" diameter telescoping stainless steel boom (collapses to 36" for storage)
- 1026 Swivel Mount
- Boom mounted No. 350 Rodmaster II rod holder
- 1 Power Grip Plus Line Release



### 1116 Propack 36"-60"

The top choice of charter captains. This unit gives the versatility of a telescoping boom with the dual rod holder option & pedestal swivel base.

- 60" long, 1 1/4" diameter telescoping stainless steel boom (collapses to 36" for storage)
- No. 247 Dual Rod Holder
- No. 1026 Pedestal Swivel Mount
- 2 Power Grip Plus Line Releases
- Weight storage hook



### 1117 Big Water Propack Tournament Series 36"-60"

This big water unit has the ultimate combination of features: telescoping boom, fully adjustable dual Rodmaster II rod holders, height extenders and pedestal swivel base.

- 60" long, 1 1/4" diameter telescoping stainless steel boom (collapses to 36" for storage)
- No. 350 Rodmaster II rod holders
- No. 259 Height Extenders
- No. 1026 Pedestal Swivel Mount
- 2 Power Grip Plus Line Releases
- Weight storage hook



Scotty Manual Downriggers have been the preferred choice of fishermen for over thirty-five years. They are engineered with a number of “exclusive” features contained in no other downrigger



Each Scotty Downrigger comes with the Scotty limited Lifetime Warranty. The best warranty in the industry is backed by over 50 years of manufacturing know-how and unbeatable customer service.



- A. A high speed two feet per turn spool coupled with the extra leverage extension handle makes cranking a breeze
- B. Spray-protected, **positive-drive** depth counter
- C. Fully adjustable rod holder
- D. Strong stainless steel boom
- E. No. 1023 tilt-up mounting plate
- F. An automatic brake with the most disk brake surface on the market. In the event of a bottom hang-up, it will pay-out to avoid losing gear
- G. 200ft. of premium 150 lb. stainless steel downrigger cable



### Tilt-up Feature

All Scotty Strongarm & Longarm downriggers include the No. 1023 tilt-up mounting bracket which enables the unit to be tilted and locked in the upright position



- Fully adjustable descent speed - 5 ft/min to over 300 ft/min
- Scotty No. 1170 Power Grip Plus line release
- Downrigger fishing instruction booklet
- Fully assembled and tested

### 1080 Strongarm 24

This downrigger has outstanding features for small and intermediate size boats.

- 24" long, 1" diameter stainless steel boom
- Boom mounted No. 350 Rodmaster II rod holder
- Power Grip Plus Line Release



### 1085 Strongarm 30

The heavy duty workhorse of the Scotty manual lineup. Excellent for the intermediate size boat.

- 30" long, 1 1/4" diameter stainless steel boom
- Boom mounted No. 350 Rodmaster II rod holder
- Power Grip Plus Line Release



### 1090 Longarm 60 Telescoping Boom

Makes an ideal "big boat" rigger with all the deluxe features.

- 60" long, 1 1/4" diameter telescoping stainless steel boom (collapses to 36" for storage)
- Boom mounted No. 350 Rodmaster II rod holder
- Power Grip Plus Line Release



### 1091 - Longarm 60 Combo Pack

Ideal for big boats. All the same features as the 1090 plus the pedestal swivel base.

- 60" long, 1 1/4" diameter telescoping stainless steel boom (collapses to 36" for storage)
- Boom mounted No. 350 Rodmaster II rod holder
- No. 1026 Pedestal Swivel Base
- Power Grip Plus Line Release



### 1092 Manual Propack

The top of the line in Scotty manuals. This unit gives the versatility of a telescoping boom with the dual rod holder option & pedestal swivel base.

- 60" long, 1 1/4" diameter telescoping stainless steel boom (collapses to 36" for storage)
- No. 247 Dual Rod Holder
- No. 1026 Pedestal Swivel Mount
- 2 Power Grip Plus Line Releases
- Weight storage hook



Each Scotty Downrigger comes with the Scotty limited Lifetime Warranty. The best warranty in the industry is backed by over 50 years of manufacturing know-how and unbeatable customer service.



**1025 Right Angle Side Gunnel Mount**

For boats with narrow or uneven gunnels. Strong and durable, with quick fastening stainless steel mounting knobs for easy set-up and removal.

Fits all Scotty downriggers and can be used with No. 1026 Pedestal Swivel Mount  
Dimensions : 6" x 6" x 6"  
Bolting dimensions: 4" x 2"

**1037** Mounting Plate only



**1026 Pedestal Swivel Mount**

Gives full 360° rotation with 16 locking positions, quick fastening stainless steel mounting knobs for easy set-up and removal.

Fits all Scotty downriggers  
Dimensions : 5 1/2" x 5 1/2" x 4"  
Bolting dimensions: 4 1/2" x 3 1/2"

**1036** Mounting Plate only.  
Dimensions: 5 1/2" x 5 1/2"  
Bolting dimensions: 4 1/2" x 3 1/2"

**1035** Extra mounting knobs only (package of 2). Knobs also fit rodholders



**Pedestal Risers**

Made from fibre reinforced nylon and stainless steel 2" tubing for the ultimate in strength. Designed to be used with all of our downrigger mounts.  
Plate Dimensions: 5 1/2" x 5 1/2"  
Bolting Dimensions: 4 1/2" x 3 1/2"



**2612**  
12" Downrigger Pedestal Riser

**2606**  
6" Downrigger Pedestal Riser

**1023 Tilt-up Mounting Bracket**


Included with Scotty Strongarm & Longarm downriggers.  
Dimensions: 2 1/2" x 4 1/2"  
Bolting Dimensions: 3 3/4" x 1 5/8"



**1028 Gimbal Mount - 9"**  
**1029 Gimbal Mount - 12"**

Fits into a boat's flush mount rod holder. Eliminates drilling holes and permanent mounting of downrigger brackets on boat. Made from welded stainless steel and modified nylon for the ultimate in strength and durability. For use with flush mount rod holders only.

Fits all Scotty downriggers and can be used with No. 1026 Pedestal Swivel Mount  
Dimensions:  
No. 1028 6 1/8" x 7 1/8" x 9" x 1 1/2"  
No. 1029 6 1/8" x 7 1/8" x 12" x 1 3/4"



**1027 Rail Mount**

Fits up to 1 1/2" round rail, including oval-shaped wooden rails. Easily installed and removed for storage, wooden board (not included) transfers the downward pressure to the boat gunnel.

Fits all Scotty downriggers and can be used with No. 1026 Pedestal Swivel Mount  
Dimensions: 6 1/8" x 7 1/8"

**Downrigger Theft Deterrent System**

**3131 Swivel Mount Lock\***

Locks single knob of the No. 1026 Pedestal Swivel Mount.



Protect your lock's internal components with a lubricant

**3130 Chassis Lock\***

Locks main base bolt to the No.1023 tilt mount on 1080-1119 models.



**3132 Right Angle Mount Lock\***

Works with the No. 1025 Right Angle Side Gunnel Mount. Replace one of your mounting knobs with the lock to secure your mount.



**3133 Locking Kit\***

Combination of the No. 3130 Chassis Lock and No. 3131 Swivel Mount Lock for complete protection at a package price.

\*This system provides a degree of protection for your Scotty Downrigger and Swivel Mount. It is not designed to, and will not stop the determined and equipped thief.




## 1133 Premium 12 Gauge 2 Conductor Downrigger Power Wire



- For wire run lengths of up to 25 feet, use minimum 12 Ga. wire. For runs of 25 – 40 feet use, 10 Ga. Wire.
- Manufactured from HEAVY DUTY annealed, tinned copper, providing maximum current flow.
- Ultra-flexible for extra protection from vibration or frequent flexing.
- CSA and UL approved, RoHA compliant.

Ultra flexible oil, water and UV resistant sheathing



Solid rubber-filled (not paper or twine) insulator jacket resists capillary action from moisture

100% Tin plated copper conductor resists corrosion from salt and moisture

**“Scotty Downrigger” power wire is specially designed to exceed recommendations for cold bend flexibility, moisture, salt and oil resistance, heat shock, flammability and resistance to moisture capillary action.**

## Scotty 12V Plug and Receptacle from Marinco®

Patented Marinco® ConnectPro® Plug and Receptacle have weather resistant connections

Unique locking blades and spring clamping connection for secure electrical contact

Large contact surface area for maximum conductivity

Corrosion-resistant, plated brass electrical components

Marinco®'s exclusive Perma-Lock™ terminals, which virtually never need retightening



### 2126 12V Downrigger Receptacle

### 2127 12V Downrigger Plug


### 2125 12V Downrigger Plug and Receptacle

### 2128 Optional Right Angle Receptacle Mount for ConnectPro® Downrigger Receptacle

### 3015 Electric Downrigger Cover

Durable cover protects your downrigger from the elements.





Model 1050 Depthmaster Shown

- A. Spray protected, **positive drive** depth counter
- B. Adjustable boom-mounted RodMaster II rod holder
- C. 23" long, 3/4" diameter stainless steel boom
- D. 200' of premium 150 lb stainless steel downrigger cable
- E. Quick-slide No. 1010 deck mounting bracket
- F. Automatic brake with the most disc brake surface on the market. In the event of a bottom hang-up, it will pay-out to avoid losing gear.



Scotty No. 1170 Power Grip Plus line release included



The Depthmaster and Depthking models offer more value for the fisherman than anything else on the market. The price and operating features of these units beat the competition hands down!

**1050 Depthmaster 23"**

Compact, versatile and reliable, the perfect introductory downrigger. One foot per turn spool operates easily with either hand from a sitting position in the boat.



**1050. MP - Masterpack 23"**

The No. 1050 Depthmaster rigged with a portable No. 1021 clamp mount.




**1060 Depthking 23"**

Includes a high speed two feet per turn spool. The spool also comes equipped with an extension handle for extra leverage with heavy weights. Ideal for the small boat that fishes deep and needs a high speed retrieve.




## Low cost downriggers built for the smaller boat.



**1071 Clamp Mount**  
Comes with fully portable anodized aluminum clamp for mounting on the gunnel or transom (2" opening). Great for aluminum boats and canoes.

- A. Easy adjust drag brake
- B. Stainless steel and nylon construction.
- C. 100 ft. of premium 150 lb stainless steel downrigger cable
- D. Rugged, anodized aluminum clamp with incredible gripping force
- E. Scotty Mini Power Grip Plus line release included (No. 1181)



**1073 Bracket Mount**  
Mounting bracket permits mounting on a flat deck surface or on the side of a gunnel or transom. The mounting design gives 360° rotation.

Recommended for use with weights under 4 lb.

## Compact Downrigger Mounts Only

**1010**  
Included with Depthking & Depthmaster, can also be used to work with the 1025 through 1029 optional mounts.  
Dimensions : 4 3/4" x 5 5/8"  
Bolting dimensions: 2 5/8" x 4 7/8"



**1015**  
For boats with narrow or uneven gunnels. Fits 1060 and 1050 downriggers. Includes stainless steel bolts to fasten mounting bracket (No. 1010 downrigger mounting bracket not included)  
Dimensions: 5 1/4" x 2 1/2"  
Bolting Dimensions: 4 9/19" x 1 5/8"  
(No. 1010 not included)



**1021**  
Portable mounting option that's great for aluminum boats. Double stainless steel bolts and black anodized aluminum. 2" clamp opening. Includes stainless steel bolts to fasten mounting bracket.  
Dimensions: 5 5/8" x 4 3/4" x 3 1/8"



Scotty is recognized as one of the world's leading manufacturers of rod holders. With innovative designs and many versatile mounting options, we're sure you'll find the exact combination you're looking for.

# ORCA Rod Holder

- The fastest rod release of any holder on the market.
- Fibre reinforced engineering nylon, offers strength, resilience and reliability.
- Completely adjustable to multiple vertical and horizontal positions.
- With one quick motion, your fishing rod is lifted straight out into the fish fighting position.



**400** - Orca Rod Holder with 241L **LOCKING** push button combination side/deck mount



(241L)

**401** - Orca Rod Holder with 244L **LOCKING** lever flush mount



(244L)



**NEW**

### 405 Offshore Orca Kit

- 1- Orca Rod Holder body
  - 1- 459 adjustable rod holder extension
  - 1- 5/16" x 2 1/4" S.S. Star knob
- The 405 is an optional boom mount for all Scotty downriggers. When adjusted properly, the 405 allows for closer inboard positioning of the Orca rod holder, creating faster and easier rod removal.

## Power Lock

Scotty's most popular value-priced, positive-locking, open style rod holder. Fibre reinforced engineering nylon offers strength, resilience and reliability. Bolting dimensions: 1 5/16" x 3 3/16"



All post mount Scotty Rod holders are fully adjustable up and down and rotate 360°.

**230** Power Lock Rod Holder with No. 241 combination deck or side mount.

**231** Power Lock Rod Holder with No. 244 Flush Deck mount.

**431** Power Lock Rod Holder with No. 444 Compact Threaded Deck mount.

**339** Power Lock Rod Holder with No. 249 Clamp Mount for complete portability.



Available in four colors:  
Choose black, sand, grey or white

## Rodmaster II

Fibre reinforced engineering nylon offers strength, resilience and reliability. Removable gimbal pin & front opening slot accommodates any rod and reel combination. 10" tube. Includes No. 241 combination deck or side mount. Bolting dimensions: 1 5/16" x 3 3/16"



Removable gimbal pin

**350** Rodmaster II Rod Holder with No. 241 combination deck or side mount.

**351** Rodmaster II Rod Holder with No. 244 Flush Deck Mount.

**359** Rodmaster II Rod Holder with No. 249 Clamp Mount for complete portability.

## Downrigger Boom Rod Holder

**358** Rodmaster II Boom Rod Holder fits 1 1/4" Scotty downrigger booms - clamp on style.

**355** Rodmaster II Boom Rod Holder fits 3/4" and 1" Scotty downrigger booms. Bolts through the boom.



## Bait Caster / Spinning Rod Holder

Holds a bait caster reel in a cushioned cradle. A slot in the front of the rod holder allows for a spinning reel to be securely held in position. The rod holder design has a side mounted flange, which leaves the bottom open. This allows for the rod holder to accommodate trigger grips. Pistol grip rod butts easily clear the sides of the rod holder for quick rod retrieval. Rod can be secured in holder with a soft latching strap which snaps over the top.



**280** Bait Caster / Spinning Rod Holder with No. 241 Combination Side or Deck Mount (241)

**281** Bait Caster / Spinning Rod Holder with No. 244 Flush Deck Mount. (244)

**389** Bait Caster / Spinning Rod Holder with a No. 249 Clamp Mount for complete portability. (249)

**481** Bait Caster / Spinning Rod Holder with a No. 444 Compact Threaded Deck mount. (444)

● ○ Available in three colors:  
Choose black, grey or white

**282** Bait Caster / Spinning Rod Holder with No. 266 float tube mounting bracket.



## Striker

Designed for Muskie, Halibut, Sturgeon and other big game fish. Stainless steel reinforced post, larger opening with easy lock / unlock ring. The inner support rotates with the rod to instantly remove and "strike" simultaneously.



**240** Striker Rod Holder with No. 241 combination deck or side mount. (241)

**246** Striker Rod Holder with No. 244 Flush Deck Mount. (244)



## Fly Rod Holder

Innovative compact design allows hands free trolling with a fly rod. Fully adjustable and includes a safety strap. Comes with the No. 411 Locking Post. Even works well with "short butt" fly rods



**265** Fly Rod Holder with No. 241 combination deck or side mounting bracket.

**264** Fly Rod Holder with No. 244 Flush Deck mount.

**461** Fly Rod Holder with No. 444 Compact Threaded Deck mount.

**369** Fly Rod Holder with a No. 249 Clamp Mount for complete portability.

**262** Fly Rod Holder with No. 245 1 1/4" round rail mount.

**263** Fly Rod Holder with No. 242 7/8" - 1' rail mount adapter.



## 267 Fly Rod Holder and Float Tube Mount Combination

The Fly Rod Holder combined with adjustable wrap-around straps and quick-release clips to use with your float tube or pontoon boat.

### 266 Float Tube Adapter

Mounting braces adjustable wrap-around straps and quick-release clips to use with your float tube or pontoon boat.

For use with No. 241 side/deck mount.

(No. 241 not included)



## Rodmaster

8" tube style rod holder, fully adjustable.




**250** Rodmaster Rod Holder with No. 241 deck or side mount.

**251** Rodmaster Rod Holder with No. 244 Flush Deck mount.

## Downrigger Boom Rod Holder

**258** Rodmaster Boom Rod Holder fits 1 1/4" Scotty Downrigger booms - clamp on style.

**255** Rodmaster Boom Rod Holder fits 3/4" and 1" Scotty Downrigger booms. Bolts through the boom.



## Triple Rod Holders

Scotty's fully-adjustable multiple rod holder comes with a built-in lure and accessory rack, which gives you quick access to your lures and tools. Includes No. 241 combination deck or side mount. Made from fibre reinforced engineering nylon.

### 256 Includes three No. 230 Power Lock rod holders

Includes No. 230 Power Lock rod holders, post bracket & 241 side deck mount.



### 261 Includes three No. 350 Rodmaster II rod holders

Includes No. 350 Rodmaster II rod holders, post bracket & No. 241 side deck mount.



### 362 Triple Rod Holder Permanent Mount Board Only

(rodholders, post bracket and mount not included).



### 257 Triple Rod Holder Mount

Includes post bracket and No. 241 side deck mount (rod holders not included).



### 271 Mounting Post

Mounting post for the No. 256 Triple Rod Holder



### 346 Extended Rodmaster II

Combines all the features of the No. 350 Rodmaster II, No. 259 rod holder height extender and the No. 344 watertight round flush mount. Shown on pages 4 and 5 in the "Big Water Series" Propacks. Extends the height of the rod holder by 6 1/2".

This can also be used to upgrade your No. 247 Dual Rod Holder to the No. 347 Extended Dual Rod Holder.

(Fasteners not included)



### 330 Extended Power Lock

This combination of the No. 230 Power Lock rod holder and No. 259 Height Extender gives a 6 1/2" height increase if needed for some boat configurations.

### 405 Offshore Orca Kit



- 1- Orca Rod Holder body
- 1- 459 adjustable rod holder extension
- 1- 5/16" x 2 1/4" S.S. Star knob

The 405 is an optional boom mount for all Scotty downriggers

When adjusted properly, the 405 allows for closer inboard positioning of the Orca rod holder, creating faster and easier rod removal.



### 222 Sidewinder

The fastest rod removal on the market. 5/16" stainless steel for strength and durability. Soft grips protect rod. Triggerlock mount included.

### 223 Sidewinder (Bulk)

Rod Holder only (no mount included).

### 238 Rail Mount Adapter

For No. 222 and No. 223 rod holders. Works with a Triggerlock mount to clamp to 7/8" and 1" round rails.



### 237 Triggerlock Mount

For No. 222 rod holders and 1015 Right Angle Mount.

Dimensions : 1 5/8" x 4 5/8"

### 333 Rod Holder Tree

- Includes three adjustable 350 Rodmaster II and 5 1/2" x 5 1/2" No. 1036 mounting plate.
- Height : 31"
- Weight: 6.25 lb



### 247 Dual Rod Holder

10" tube style rod holder. Gives you the ability to fish with 2 rods without mounting another rod holder. Designed for use with the No. 1026 Pedestal / Swivel Mount (mounting hardware included). (See pages 4 and 5 on our Propack Models)



### 347 Extended Dual Rod Holder

Comes with two No. 346 Extended Rodmaster II Gives you the ability to fish with 2 rods without mounting another rod holder. Designed for use with the No. 1026 Pedestal / Swivel Mount (mounting hardware included) To see an example go to pages 4 and 5 in our electric downrigger Propack Model section.



## 241 Combination Side or Deck Mount

Can be mounted on top or side of gunnel.  
For all Scotty post mount rod holders.  
Dimensions: 4" x 2" x 2"  
Bolting dimension: 1 5/16" x 3 3/16"



## 244 Flush Deck Mount

With splash cover  
For all Scotty post mount rod holders.  
Dimensions 4" x 2" x 2"  
Bolting Dimensions 1 5/16" x 3 3/16"



## 344 Round Flush Deck Mount

Sealed base for watertight applications (such as kayak decks) includes splash cover.  
For all Scotty post mount rod holders.  
Dimensions: 3 3/4" diameter  
Bolting Dimensions 2 3/16" x 2 3/16"



## 241L Locking Combination Side or Deck Mount

**LOCKING** push button  
Can be mounted on top or side of gunnel.  
For all Scotty post mount rod holders.  
Dimensions: 4" x 2" x 2"  
Bolting dimension: 1 5/16" x 3 3/16"




## 244L Locking Flush Deck Mount

**LOCKING** lever  
With splash cover  
For all Scotty post mount rod holders.  
Dimensions 4" x 2" x 2"  
Bolting Dimensions 1 5/16" x 3 3/16"



## 444 Compact Threaded Deck Mount

Fits gunnels up to 2" thick. Secures with no exposed hardware using provided nylon nut.  
Comes with cap to seal the bottom.



No. 241, 242 and 244 are available in black, sand, grey or white

## 253 Gimbal Mount

Allows the use of Scotty rod holders with factory installed flush mounted rod holders.  
Fits 9"x1 1/2" flush mounts.



## 248 Oarlock Mount

Excellent for row boats.  
Use the oarlock socket on your small boat to mount a rod holder or laketroller downrigger.  
Install or remove in seconds.



## 242 Rail Mount Adapter

Fits 7/8" & 1" diameter round rail, and 1" square rail.  
For all Scotty post mount rod holders.  
Works with No. 241 side / deck mount  
Includes stainless steel fasteners.



### 249 Clamp Mount

Fully portable mounting option for all Scotty post mount rod holders. Works with a No. 241 combination side / deck mount (not included). Maximum opening 2". Made from anodized aluminum and stainless steel. Fasteners included.



### 243 1 1/4" Square Rail Mount

Provides versatile mounting without having to drill more holes in your boat. Perfect for boats with limited mounting surfaces. Stainless steel fasteners (included) hold this tough mount securely in place. Works with all Scotty post mount rod holders. Fits 1 1/4" square rails.



### 245 1 1/4" Round Rail Mount

Excellent for pontoon boats. Position your Scotty rod holder anywhere on your rail. Provides versatile mounting without having to drill more holes in your boat. Stainless steel fasteners (included) hold this tough mount securely in place. Works with all Scotty post mount rod holders. Fits 1 1/4" round or square rails.



### 287 7/8" Round Rail mount

Provides versatile mounting without having to drill more holes in your boat. Perfect for boats with limited mounting surfaces. Stainless steel fasteners (included) hold this tough mount securely in place. Works with all Scotty post mount rod holders. Fits 7/8" round rails.



254



259



459



254M



### 254 Rod Holder Height Extender

Increase your odds with easier access to your rod and reel. Extends the height of a rod holder by 8 1/2". Stainless steel shaft. Works with all Scotty post mount rod holders.

### 259 Rod Holder Height Extender

Increase your odds with easier access to your rod and reel. Extends the height of the rod holder by 6 1/2", allowing for faster access when that fish strikes. Made from super tough re-enforced nylon. Works with Scotty post mount rod holders (except No. 240 Striker).

### 459 Adjustable Rod Holder Extender

Provides the option for you to position your Scotty Rod Holder into that perfect fish fighting location. Conveniently position your rod holder closer to you on your kayak or your downrigger to eliminate reaching for your rod. Can be used in conjunction with any previous Scotty Downrigger Boom Mounted Rod Holder to bring the fish fighting action closer to you. Extends the height of a rod holder by 6 1/2".

### 254M MINI Rod Holder Height Extender


The "Mini Extender" allows you to lift your Scotty Rod Holder off the deck, allowing full movement and versatility. The "Mini Extender" works perfectly to eliminate the possibility of your rod interfering with an inconvenient rail position or other obstruction. For use with all Scotty Post mount rod holders. Extends the height of a rod holder by 4 1/4".

# Power Grip Plus

Streamlined design won't snag on weeds or foul lines

Greater range of release tensions

Move line in for tighter release, closer to front for lighter release.



4 1/4" in length

Patented "tension adjuster" doubles the holding power if needed

Large, easy to handle shape

The line release is the critical link between the downrigger and the fishing rod. If it does not perform properly you will lose both valuable fishing time and fish. The fishing line is gripped between the soft pads with variable release tension attained by moving the line in or out of the jaws. The line release is attached to either the weight or the cable. Patented "tension adjuster" doubles the holding power.

**1170** 18" heavy monofilament leader with cannonball snap. Included with all downriggers

**1171** 18" leader with stacking, self-locating snap

**1172** 30" leader with stacking, self-locating snap

**1173** 48" leader with stacking, self-locating snap

**1178** 60" leader with stacking, self-locating snap

**1176** "Stacker" - 6" Leader

**1179** "Stacker" with 30" leader

**1177** Planer Board Snap

**1190** 6 Replacement Power Grip Pads



**1181** 18" wire leader with cannonball snap

**1182** Planer Board - 4 pack

**1180** 18" wire leader with stacking, self-locating snap

**1183** 30" wire leader with stacking, self-locating snap



# Mini Power Grip Plus

A compact version of the Power Grip Plus.

2 1/4" in length

Streamlined design won't snag on weeds or foul lines

Greater range of release tensions

Move line in for tighter release, closer to front for lighter release.



Patented "tension adjuster" doubles the holding power if needed

Large, easy to handle shape

## The Original "Snapper" Line Release

The fishing line is gripped between the soft pads with variable release tension attained by moving the line in or out of the jaws.

**1040** 48" monofilament leader with stacking, self-locating cable snap



**1041** 18" leader with stacking, self-locating snap

**1049** Leader with stacking, self-locating snap

**1042** Cannonball snap - 18" leader

**1160** Snapper "Stacker"

**1045** 7" wire cable leader



**1043** Planer Board Release



**1046** "Mini" Snapper 18" leader with stacking, self-locating snap

**1047** 18" leader with cannonball snap

**1048** Planer Board - 4 pack.



## 1155 Trolling Snaps

2 nickel/ silver trolling snaps - large, approx. 5" overall length

**1156** 2 stainless steel trolling snaps - small, approx. 3" overall length



## 1005 Downrigger Release

The original plug type release

## 1006 Extra Pins

For No. 1005 line release (3 per pack)



## Hairtrigger Releases

A fully adjustable tension release clip. With a simple turn of the yellow nut you can increase or decrease the amount of desired release tension. One of the only release clips on the market that works exceptionally well with braided fishing line!



**1020** The pin is attached to the clip body to prevent loss.



## 1030 Extended Hairtrigger

18" heavy monofilament leader  
The heavy monofilament line between the wire clip and the release end allows detection of small fish on the rod tip and permits easier hookups.



## 1031 48" Extended Hairtrigger

48" leader with stacking, self-locating snap

## 1032 18" Extended Hairtrigger

18" leader with stacking, self-locating snap



**1022** 3 extra pins for all hairtrigger release No.'s 1020, 1030, 1031, 1032





**175lb Test - Low Drag Premium Braided Downrigger Line**

Braided line offers the ultimate in strength, consistency and durability. Made with Premium Spectra Braided Downrigger line. Use of braided downrigger line helps combat electrolysis around your fishing gear.

- 2299** 150 ft. of 175 lb. test
- 2300** 200 ft. of 175 lb. test
- 2301** 300 ft. of 175 lb. test
- 2302** 400 ft. of 175 lb. test
- 2303** 500 ft. of 175 lb. test



Add a "K" to these product numbers to include Coastlock Snap and a Soft Stop Bumper.

**Premium Stainless Steel Downrigger Cable**

- 999** 150 ft., of 150 lb. test
- 1000** 200 ft. of 150 lb. test
- 1001** 300 ft. of 150 lb. test
- 1002** 400 ft. of 150 lb. test
- 1003** 500 ft. of 150 lb. test



**1011 Double Line Connector Sleeves**

10 double black brass sleeves for joining wire or heavy monofilament line.

**1004 Connector Sleeves**

10 black brass sleeves for joining wire line or for locating line releases.

**1007 Release Clip Locators**

10 split brass crimps for locating line releases.

**1008 Stopper Beads for Stainless Steel Lines**

6 nylon stoppers for the auto stop and for locating line releases.(3 each black and yellow).

**1008-24 Stopper Beads for Stainless Steel Lines**

24 pack of moulded nylon stopper beads for the auto stop and locating line releases. Available in all black or all yellow.

**1157 Stainless Steel Thimble Kit**

2 stainless steel thimbles and 4 brass connector sleeves.

**250lb Test Premium Braided Downrigger Line**

Braided line offers the ultimate in strength, consistency and durability. Made with Low Stretch Dyneema® Fiber. Use of braided downrigger line helps combat electrolysis around your fishing gear.

- 2199** 150 ft., of 250 lb. test
- 2200** 200 ft. of 250 lb. test
- 2201** 300 ft. of 250 lb. test
- 2202** 400 ft. of 250 lb. test
- 2203** 500 ft. of 250 lb. test



Add a "K" to these product numbers to include Coastlock Snap and a Soft Stop Bumper.

**2008 Auto-Stop Beads For Braided Line**

6 beads for use with braided line for "Depthpower" electric downriggers



**2008-24 Auto-Stop Beads For Braided Line**

24 beads for use with braided line for "Depthpower" electric downriggers.

**1038 Cable Coupler**

Attaches the snap hook to the downrigger cable quickly and easily without the use of metal crimps. Built in rudder eliminates weight spin for longer cable life. Remove rudder for use with finned weights.



**1009 2 downrigger weight swivel hooks**

with 6 connector sleeves.



**1154 Terminal Kit**

1 Swivel hook (No.1009), 3 sleeves, 1 stainless steel thimble and 1 soft stop bumper.



**1151 1 Coastlock Snap**

(200 lb. test)Stainless steel with ball bearing swivel.



**1150 2 Coastlock Snaps**

(225 lb. test). Stainless steel with barrel swivel.



**1152 2 Large Coastlock Snaps**

(350 lb. test) Stainless steel with barrel swivel.



**1153 Terminal Kit**

1 Coastlock snap with swivel (No.1150), 3 sleeves, 1 soft stop bumper and 1 stainless steel thimble.



**1039 Soft Stop Bumper**

- 4 pack. For downrigger snap hooks.




Add a "K" to these product numbers to include an 1153 Terminal Kit



### Trolling Snubber

Place between your downrigger cable and weight. The Scotty Trolling Snubber absorbs shock, provides electrical insulation and helps prevent snags. Easy to grip. Allows quick connection to your downrigger cannon ball.

**370** Trolling Snubber with **Sampo®** ball bearing swivel and trolling snap (weight not included)



**371** Trolling Snubber with trolling snap only

### Weights

**1017** Cannonball 3 lb. finned lead weight.

**1018** 7 lb. Round Lead Weight

**1019** 10 lb. Round Lead Weight



### 3022 Weight Mate 2 Pack

Holds your downrigger weight securely. Available in black or white



### Downrigger Weight Hook

Convenient for holding your weight while you land the fish.

**1147** For 1" booms

**1148** For 1 1/4" booms



### 3025 Downrigger Weight Retriever

Great helper and safety precaution for the downrigger fisherman. Brings weights in for rigging lines and releases without having to lean out over a gunnel. Heavy-duty long-wearing nylon fairlead.



**\*\*A MUST FOR ALL DOWNRIGGERS\*\***

### The Original "Black" Box

Maximize your downriggers' fishing potential!


It has been proven that many species of fish have a strong sensitivity to electrical energy in the water. Salmon, trout and sharks are among these. Galvanic action causes electricity to flow from your boat to your downrigger cable, which creates an electrical field around your boat. The Black Box controls the voltage on the cable, maintaining the productive fishing range of positive 0.1 volt D.C. to 0.9 volt D.C. on up to six downriggers. The dial can be tuned to the desired level to suit your target fish. The Black Box can be operated in the continuous voltage mode, or the "pulsing mode" that cycles the charge on and off every 5 seconds - often triggering a strike.

### 1201 Black Box (digital with pulse mode)

Includes wiring harness and stainless steel contact sleeves for 2 downriggers. Water resistant housing and easy installation.

**1210** Extra wire sleeve and wire harness

**1211** Extra contact sleeve only



For a copy of the Black Box booklet, please call or email Scotty. See back cover for information.

## Scotty 12V Plug and Receptacle from Marinco®

**2126 12V Downrigger Receptacle**

**2127 12V Downrigger Plug**

**2125 12V Downrigger Plug and Receptacle**

**2128 Optional Right Angle Receptacle Mount for 2126 Downrigger Receptacle**

See page 9 for more details about this product



**1124 Marine In-line Fuse Holder**

complete with 30 amp fuse



**1125 Hella Electric Plug and Socket**

For 12 volt max. 18 amp applications

**1126 Hella electric socket only.**

**1127 Hella Electric plug only.**

**\*\* Scotty Electric downriggers now come standard with Marinco ConnectPro plug and receptacle (see page 9)\*\***



**1140** Downrigger Fairlead for 3/4" diameter booms.

**1141** Downrigger Fairlead for 1" diameter booms.

**1149** Downrigger Fairlead for 1 1/4" diameter booms.



**1128 Spare belt set**  
(1 large, 1 small) for 2 belt Depthpower electric downriggers (2000 models and earlier).

**1129 Single drive belt**  
for Depthpower electric downriggers (2001 models and later).



**3015 Electric Downrigger Cover**  
Durable cover protects your downrigger from the elements.



**1132 Replacement emergency crank handle**  
for electric downriggers.



**1014 Downrigger pulley system**  
replacement kit. Includes pulley wheel/housing, boom end-cap and adapters for all sizes of boom.



**1139 Downrigger pulley upgrade kit**  
for newer Scotty downriggers. Includes new pulley wheel and housing only.



**1142 Downrigger handle**  
for manual downriggers. Bolt and sleeve included.



**1024 Counter cover**  
for manual downriggers.



**1145 Counter only**  
(base not included)



**1146 Counter with base**  
for manual downriggers.



**1034 Downrigger mounting bolt.**  
Approx 4 1/2" length (2000 models and earlier).


**1134 New longer downrigger mounting bolt.**  
Approx 6" length (2001 models and later)



**1131 Electric Downrigger replacement lid.**

### 420 REEL E-Z Rod Handle


Offers better rod control while fighting big game fish. Easily adapts to most rods. Can mount the rod handle to the reel by replacing the reel brace underneath. Rod handle has 3 height adjustments depending on the reel. Stainless steel fasteners.



### 373 Diver Snubber

The diver snubber allows a certain amount of stretch that will prevent tearing the hook from the fishes mouth. High quality ball bearing swivel prevents lines from twisting.

wire or line to rod



### 225 Gaff/Bonker

This 24 1/2" heavy duty, combination gaff/bonker also doubles as a Georgia Strait chinook measurer and fish release tool. Stainless steel construction with non-skid grip.



226 As No. 225 with 30" overall length.

### 425 Hammer Head Rod Butt Cushion

More comfortable and easier to use than most fighting belts. Universal rod butt tube allows simple rod to rod transfer




### 1161 Dummy Flasher

Quickly attach extra flashers or dodgers to your downrigger line. 2 per pack



### 210 Net Minder

Simply slide the rubber ring down the net handle, clip the bottom of the net into the release and the net will release from the clip when a fish is caught in the net.



### Aluminum Landing Nets

Aluminum alloy handle and hoop with tough corrosion-resistant finish. Strong 1 1/4" diameter handle retracts for compact storage. Guaranteed quality – 5 year warranty.

206 30" solid hoop, 4 foot handle.

207 30" solid hoop, 6 foot handle.

215 Replacement net bag



## No. 273 Humminbird Piranha Sounder Mount

Uses the patented Scotty post mount design for quick removal and infinitely adjustable rotation. Includes a No. 241 Combination Side / Deck Mount and stainless steel fasteners



## No. 274 Humminbird Piranha Sounder Mount Only

Fits all Scotty post mounts (sold separately)



## 269 Swivel Fishfinder Mount

Uses the patented Scotty post mount design for quick removal and infinitely adjustable rotation. Fits or can be adapted to most fishfinder brands including Lowrance, Eagle, Humminbird and Garmin. Includes No. 241 side/deck mount and stainless steel fasteners.

Can be used with No. 242 Rail mount, No. 249 Clamp mount or No. 254 Height extender for added mounting options.



## 270 Includes No. 244 Flush Deck mount.



## 272 Post Bracket Only

Sold separately and works with Scotty optional rod holder mounts.



## 268 Fishfinder Mount

Adapt a fishfinder to your float tube or pontoon boat. Fits or can be adapted to most fishfinder brands including Lowrance, Eagle, Humminbird and Garmin. Includes transducer bracket and 6' strap



## Trap-ease

Crab and prawn trap roller for easy retrieval. Fits Scotty post rod holder mounts for convenient mounting and versatile positioning. Tough reinforced nylon and rigid design gives the Trap-ease ultimate strength.

**750** Includes No. 241 side / deck mount

**749** Mount not included

Large size roller with pivoting head makes for smooth operation

For use with rope up to 1/2" diameter

Long arm for extended reach over gunnel

Adjustable arm angle



Recommended for non-commercial, single trap use.

## Vented Bait Jars

A rugged container for storing bait or for protecting bait in a crab or prawn trap. The quick unscrew lid and vented body have the right size slots to send the bait smell out, yet protect the bait from most parasites.

**670** - 1/2 L. White, vented bait jar w/lid.

**672** - 1/2 L. Red, vented bait jar w/lid.



## Bait Jars

A rugged container for storing bait or for protecting bait in a crab or prawn trap. The quick unscrew lid has the right size slots to send the bait smell out, yet protect the bait from most parasites.

**650** Jar, 1/2 litre, with lid, white.

**652** Jar, 1/2 litre, with lid, fluorescent red.

**654** Jar only, 1/2 litre, white.

**657** Jar, 1 litre, with lid, fluorescent red.

**651** Jar, 1 litre, with lid, white.

**653** Lid only for bait jar, white.

**656** Lid only for bait jar, fluorescent red.



### Anchor Lock

Anchor release system for small boats in still-water fishing situations. Easy lock and release action allows anchor line adjustments with only one hand. For use with rope up to 1/2" diameter. Tough construction and roller bearing for smooth, quiet operation.



**276** Includes a No. 241 Side / Deck Mount

**277** Includes a No. 244 Flush Deck Mount



**278** Permanent mount



### Scotty Drink Holder

For cans, coffee mugs and insulated sleeves. Convenient accessory rack to hang lures and tools. **Easily removable.**

**310** - Drink Holder with bulkhead/gunnel mount

**311** - Drink Holder with bulkhead/gunnel mount and rod holder post mount



Available in Black or White

### 797 Anchor Kit

- 50 ft (15m) Premium Nylon Line
- 1.5 lb (0.6 kg) Folding Anchor
- Watertight Buoyant Container - doubles as a bailer
- Nylon Snap Hook, for easy attachment to vessel
- For still water use.



### 798 Anchor Accessory Kit

Includes the No. 797 Anchor Kit and No. 276 Anchor Lock. Comes with 241 mount. Accessory kit also includes a reusable nylon mesh bag.



## Strongback Oar Lock

1/2" straight shank. Moulded nylon over stainless steel core. Low friction nylon creates smooth and quiet operation. Competitively priced against standard galvanized and bronze models.

**102** 2 1/8" Inside dimension (standard oars).

**104** 1 3/4" Inside dimension (small oars).



Available in Black or White

## 101 Oar Collar

Made of rugged, flexible polyethylene. Adjustable and long wearing. Quick and easy to install (fasteners supplied). Colors: black or white. Can be trimmed for smaller oars.



## 327 Fender Ring

Use the Fender Ring to quickly attach a fender to your Scotty rod holder mounts. Easy to insert and remove. Inside diameter of ring is 7/8". 2 per pack



## 125 Scotty Tumbler

Clear tumbler. Virtually indestructible. Dishwasher safe. 12 oz.



## 150 Bottle Loc

The Bottle Loc features our unique figure "8" attachment combined with a super strong locking swivel hook. The Bottle Loc can be easily installed on most plastic water bottles and is reusable. Secure your water to belt loops, kayak deck, backpack, or sports bag.



Available in Black only

## 990 Knife Sharpener

The ultimate sharpening device! Safe, easy to use and can conveniently be stored in a tackle box or galley. Tungsten Carbide blades may be rotated to extend the life of the sharpener.



## 3010 Snap Hook Key Chain

Available in red, yellow, blue, black, green, purple, glow and orange.




## 300 Tarp Clip 4 per pack.

### 301 60 in a Display Bulk Bucket.

Powerful locking jaws provide the ultimate grip! Quick and easy to use. Made from tough reinforced nylon. Available in black and yellow.

Unlimited uses include:

- Tarps, temporary shelters.
- Boat and automobile covers.
- Motor home awnings.
- Emergency tent repairs.
- Swimming pool covers.
- Golf towels.



## 701 Man Over-Board Dan Buoy Marker Flag Pole

12' floating flag pole meets sail racing regulations. Aluminum mast and keel with corrosion resistant finish. Quick release holster and flag cover. Fast breakdown for storage.





## 302 Kayak Stabilizers


Feel secure and stable in your kayak while fishing with the Scotty Stabilizers attached to your kayak. Made with easy inflatable inner bladders offering over 30 lb. of extra buoyancy. Scotty's new locking mounts make installation and removal quick and easy!

Each pontoon includes 4 permanently attached D rings, and a Scotty adjustable mounting system for easy installation and removal.

The 30 inch long x 8" diameter (zipper opening) pontoons are made of heavy PVC-coated outer shell material with a durable inner bladder

### Each Stabilizer Kit includes:

- 2 - inflatable pontoons
- 2 - 28" anodized arms
- 4 - No. 241L Locking combination Side/Deck Mounts
- 2 - No. 266 Float Tube Adapters with straps
- 2 - No. 280 Baitcaster Rod Holders



## Hand Pumps

- Stainless steel piston rod for strength and durability.
- Lifetime warranty.
- Large handle for easier operation.
- Easily disassembled for cleaning.
- 1 1/2" barrel diameter means quick pump outs.
- Includes 24" of 1 1/8" black bilge flex hose.

### 544 13 1/2" Bilge Pump


13 strokes per gallon.

### 545 21" Bilge Pump

7 1/2 strokes per gallon.

### 548 34" Bilge Pump

3 1/2 strokes per gallon.



## Kayak Pump

Stainless steel piston rod for strength and durability. Comes with pump float. Lifetime warranty.

**544K** 13 1/2" Kayak Pump with float.

**545K** 21" Kayak Pump with float.

**546** Float only for Kayak Pumps.



## Paddle Sports Accessory Kit

Comes with a kayak pump, throw bag, lifesaver whistle and a reusable mesh bag

### 794 Paddle Sports Accessory Kit w/ 544K Hand Pump

### 796 Paddle Sports Accessory Kit w/ 545K Hand Pump

## 790 Pleasure Craft Safety Equipment Kit

Contains four of the items required by The Canadian Coast Guard for vessels up to 12 meters requiring a manual bilge pump.

- 15 m buoyant heaving line with float.
- Sound signaling device (pealess whistle).
- Watertight flashlight.
- No. 545 21" Bilge pump.
- No. 793 Throw Bag



## 779 Small Vessel Safety Equipment Kit

Contains four of the items required by The Canadian Coast Guard for vessels up to 8 meters.

- 15 metre buoyant heaving line.
- Bailer (watertight container).
- Sound signaling device (pealess whistle).
- Watertight flashlight (batteries not included)



### IT'S THE LAW!

Please check your local regulations regarding safety equipment.

## 789 Watertight First Aid Kit

Contains 16 essential items, over 85 pieces total.

All in a rugged watertight buoyant container. Also included is a bonus Lifesaver #1 Safety Emergency Whistle.



## 774 Watertight Emergency Equipment Container

For dry storage of flares, emergency rations, matches, etc.

Net buoyancy – 1 kg. (2.2 lb.).  
Orange in colour.



## 130 Leash c/w Flex Coil

For Paddles, Rods, Nets, Gaffs, and a variety of other items that need to be secured while in use.

- Uses 2 extra strong Scotty 1009 swivel snaps
- The super strong Flex Coil cord allows for maximum unrestricted movement.
- Stretches to approx. 6'
- Includes 2 figure 8 securing straps



Available in Black only

## SEA-LIGHT for Paddling Safety

USCG approved light - visible up to two miles. Waterproof and corrosion resistant. Runs up to 8 hrs. on 2 "AA" batteries. Removable light is portable and can easily be attached to a life jacket.

- 823** Includes 20" pole and No. 241 combination side/deck mount.
- 824** Includes 20" pole and No. 244 Flush Deck mount.
- 825** Includes suction cup mount and safety leash. (No pole)
- 826** Includes 20" pole and No. 344 Round Flush Deck mount.
- 827** Includes 20" pole and No. 444 Compact Flush Deck mount.

## 828 Folding Sea Light

- U.S. Coast Guard approved waterproof/corrosion resistant bright light, visible up to 2 miles, operates for up to 8 hours with 2 alkaline batteries.
- Light weight pole, 42 inch overall length, c/w unique drop-down adjustment feature.
- The mounting base included is the new model 241L combination top/side mount, c/w push button for easy installation/removal.
- This new taller light also includes a highly visible orange flag edged with 3M reflective tape. The flag is attached to the pole using non corrosive nylon gromets and tie wraps.

## 793 Throw Bag

50' x 9/32" 550lb test  
15m x 7mm 250 kg test  
Braided MFP polypropylene floating rope  
Bright orange nylon and polyester self-draining bag c/w adjustable strap & 3M reflective safety band

## 795 Water tight flashlight

Uses 2 "AA" batteries (not included)  
Ultra bright Xenon bulb



## 780 Lifesaver #1 Safety Whistle

The world's most advanced all-purpose safety whistle. Designed by search and rescue professionals. The synthetic peas will not absorb moisture or freeze. Works when soaking wet – clears instantly.

- ABS plastic will not stick to mouth in cold weather as metal whistles do.
- Double chambered for multiple pitches.
- Waffled sure-grip.
- Meets anti-choking standards for children.
- Large tooth-grip for hands free use.
- Lip-seal prevents loss of air in extreme cold.



## 784 Pealess Whistle

Same as above but pealess for Coast Guard requirements.

## 770 S.O.L.A.S Crank Whistle

Two-tone bent whistle. Tough plastic whistle in international orange for use with life jackets, survival suits, life rings and all personal flotation devices.



## 772 S.O.L.A.S. Whistle

Tough pealess two-tone plastic whistle in international orange for use with life jackets, survival suits, life rings and all personal flotation devices.




# Re-Establishing And Enhancing Streams All Over The World

The Jordan/Scotty incubator, sometimes referred to as the Salmon Condominium, is a Scientifically designed and tested plastic incubation unit and was developed to provide an efficient aid in the stream incubating of salmon or trout eggs. The unique design either eliminates or minimizes most of the problems experienced by natural spawning. Fungus infection is virtually eliminated and eggs are protected from predators and silt suffocation. Pilot testing indicates that survival rates from egg to fry is often better than 90% as compared to natural spawning survival rates of between 5% and 20%.

The critical need to enhance our stocks is well documented. Natural spawning has declined dramatically over the past 50 years for many reasons. Many of our spawning areas no longer exist. Many of the spawning areas that still exist are only partially effective and many of our original Salmon stocks are now extinct. The need for increased Salmon enhancement programs by volunteers has never been greater. The availability of the Jordan/Scotty Incubator, a simple yet effective incubation unit, can be of great help for our precious Salmon stream stocks and their eventual recovery. We urge you to become involved.



Eggs are placed into individual chambers of larger "cassettes" which can hold thousands of eggs. These units are placed into the gravel and covered. Without further maintenance, the egg grows and matures to a swimming fry at which time it leaves the incubator.



# New Scotty Products

425 Hammer Head Rod Butt Cushion



420 REEL E-Z Rod Handle



175lb Test - Low Drag  
Premium Braided Downrigger Line



405 Offshore Orca Kit



## Tournament Series

For more information:  
[www.thekingofthelake.com](http://www.thekingofthelake.com)



For information regarding factory authorized service centers, parts, and other information please contact:

Scotty Fishing, Marine and Outdoor Products  
2065 Henry Ave West  
Sidney, British Columbia  
Canada V8L 5Z6

Phone: (250) 656-8102  
Toll Free: 1-800-214-0141  
Fax: (250) 656-8126

Edition 09



The Way To Fish<sup>®</sup>

[www.scotty.com](http://www.scotty.com)

Email: [scotty@scotty.com](mailto:scotty@scotty.com)